



CiviTEQ

Cost-effective LED road lighting solution for refurbishment projects

- Offers the best balance between cost of ownership and performance. Fitted with R-PEC® optic to bring safe and efficient light to residential streets and high traffic roads
- Available in 2 sizes up to 19klm, 12 precise light distributions and versatile installation possibilities - CiviTEQ adapts to any installation layout
- Comprehensive range of controls incorporating the Bi-Power Switch to activate or deactivate dimming onsite
- Compact and lightweight luminaire for easy handling and installation with a low windage



Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.



96643264

Material/Finish

Classic version or GY-S : Housing, canopies : die-cast aluminium (EN AC-44300) light grey 150 sanded textured (close to RAL9006) and spigot die cast aluminium non painted

Version ANT: Housing, canopies, spigot: die-cast aluminium (EN AC-44300) texturized anthracite grey (close to RAL7043) with a white mask. Standard corrosion class C5 according to ISO 9223:2012.

Other RAL colours on request.

Glass: 4 mm thick

Fixings: stainless steel

Installation/Mounting

Suitable for mounting on top Ø76mm or Ø60mm (by ordering the correct version or adapter)

Suitable for mounting on side Ø60mm or Ø42mm (by ordering the correct version or adapter)

Variable tilting setting: 0° to +10° on post top mounting and -20° to 0° on lateral mounting, in 5° steps.

Tilt adaptor 0° with bracket tilted at -45° as accessory.

Cable gland for Ø8 to 12mm cable. Delivered ready to install, complete with factory fitted integral gear tray, all supplied in a single carton.

Specification

To specify state:

Unobtrusive, cost effective road lighting solution with 12 precise lighting distributions, fully versatile installation possibilities, low maintenance requirements and no need to replace LED driver. CMS with Radio Frequency and Powerline system, is also compatible with other controls systems. Choice of options and accessories: 10KV, automatic disconnection, BPS, LRT, photocell and external louvres. Two spare parts defined: driver, LED brick (incl. LED module, lenses and glass enclosure).

As Thorn CiviTEQ

CiviTEQ

Ordering Guide Supplied complete with LED.

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CiviTEQ Accessories				
CQ S LOUVRES FRONT & BACK			2,4	96643221
CQ ADAPTOR MLE -45°			0,2	96643222
CQ L LOUVRES FRONT & BACK			3	96628087
CQ M76 EXTERNAL SPIGOT			0,65	59008132
CQ M60 EXTERNAL SPIGOT			0,65	59008133
CQ M42 EXTERNAL SPIGOT			0,48	59008134
CiviTEQ Small, Narrow road optic				
CQ 12L35 740 NR BS 3550 CL1 M42 GY-S	LED		5,7	96643264
CQ 12L50 740 NR BS 3550 CL1 M42 GY-S	LED		5,7	96643265
CQ 12L70 740 NR BS 3550 CL1 M42 GY-S	LED		5,7	96643266
CQ 24L35 740 NR BS 3550 CL1 M42 GY-S	LED		5,7	96643268
CQ 24L50 740 NR BS 3550 CL1 M42 GY-S	LED		5,7	96643269
CQ 24L70 740 NR BS 3550 CL1 M42 GY-S	LED		5,7	96643270
CQ 36L35 740 NR BS 3550 CL1 M42 GY-S	LED		5,7	96643272
CQ 36L50 740 NR BS 3550 CL1 M42 GY-S	LED		5,7	96643273
CQ 36L70 740 NR BS 3550 CL1 M42 GY-S	LED		5,7	96643274
CQ 12L35-740 NR BP 3550 CL1 M60 GY-S	LED		5,69	96636233
CQ 12L50-740 NR BP 3550 CL1 M60 GY-S	LED		5,684	96636234
CQ 12L70-740 NR BP 3550 CL1 M60 GY-S	LED		5,684	96636235
CQ 12L105-740 NR BP 3550 CL1 M60 GY-S	LED		5,684	96636236
CQ 24L35-740 NR BP 3550 CL1 M60 GY-S	LED		5,774	96636237
CQ 24L50-740 NR BP 3550 CL1 M60 GY-S	LED		5,774	96636238
CQ 24L70-740 NR BP 3550 CL1 M60 GY-S	LED		5,774	96636239
CQ 24L105-740 NR BP 3550 CL1 M60 GY-S	LED		5,842	96636240
CQ 36L35-740 NR BP 3550 CL1 M60 GY-S	LED		6,112	96636241
CQ 36L50-740 NR BP 3550 CL1 M60 GY-S	LED		6,112	96636242
CQ 36L70-740 NR BP 3550 CL1 M60 GY-S	LED		6,112	96636243
CiviTEQ Small, Narrow road optic, configured products				
CQ 12L35 740 NR BS 3550 CL1 M76 GY-S	LED		5,7	96643285
CQ 12L50 740 NR BS 3550 CL1 M76 GY-S	LED		5,7	96643286
CQ 12L70 740 NR BS 3550 CL1 M76 GY-S	LED		5,7	96643287
CQ 12L105 740 NR BS 3550 CL1 M76 GY-S	LED		5,7	96643288
CQ 24L35 740 NR BS 3550 CL1 M76 GY-S	LED		5,7	96643289
CQ 24L50 740 NR BS 3550 CL1 M76 GY-S	LED		5,7	96643290
CQ 24L70 740 NR BS 3550 CL1 M76 GY-S	LED		5,7	96643291
CQ 24L105 740 NR BS 3550 CL1 M76 GY-S	LED		5,7	96643292
CQ 36L35 740 NR BS 3550 CL1 M76 GY-S	LED		5,7	96643293
CQ 36L50 740 NR BS 3550 CL1 M76 GY-S	LED		5,7	96643294
CQ 36L70 740 NR BS 3550 CL1 M76 GY-S	LED		5,7	96643295
CQ 36L70 740 NR BS 3550 CL1 PM M60 GY-S	LED		5,7	96643325
CiviTEQ Small, Wide street optic				
CQ 12L35 740 WS BS 3550 CL1 M42 GY-S	LED		5,4	96665384
CQ 12L50 740 WS BS 3550 CL1 M42 GY-S	LED		5,4	96665385

CiviTEQ

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CQ 12L70 740 WS BS 3550 CL1 M42 GY-S	LED		5,4	96665386
CQ 24L35 740 WS BS 3550 CL1 M42 GY-S	LED		5,4	96665387
CQ 24L50 740 WS BS 3550 CL1 M42 GY-S	LED		5,4	96665388
CQ 24L70 740 WS BS 3550 CL1 M42 GY-S	LED		5,4	96665389
CQ 36L35 740 WS BS 3550 CL1 M42 GY-S	LED		5,5	96665390
CQ 36L50 740 WS BS 3550 CL1 M42 GY-S	LED		5,5	96665391
CQ 36L70 740 WS BS 3550 CL1 M42 GY-S	LED		5,6	96665392

CiviTEQ Small, Wide street comfort optic

CQ 36L50 740 WSC BS 3550 CL1 M42 GY-S	LED		5,5	96628250
CQ 12L35 740 WSC BS 3550 CL1 M42 GY-S	LED		5,4	96665402
CQ 12L50 740 WSC BS 3550 CL1 M42 GY-S	LED		5,4	96665403
CQ 12L70 740 WSC BS 3550 CL1 M42 GY-S	LED		5,4	96665404
CQ 24L35 740 WSC BS 3550 CL1 M42 GY-S	LED		5,4	96665405
CQ 24L50 740 WSC BS 3550 CL1 M42 GY-S	LED		5,4	96665406
CQ 24L70 740 WSC BS 3550 CL1 M42 GY-S	LED		5,4	96665407
CQ 36L35 740 WSC BS 3550 CL1 M42 GY-S	LED		5,5	96665408
CQ 36L70 740 WSC BS 3550 CL1 M42 GY-S	LED		5,6	96665410

CiviTEQ Small, Wet road optic

CQ 12L35 740 RWT BS 3550 CL1 M42 GY-S	LED		5,4	96665411
CQ 12L50 740 RWT BS 3550 CL1 M42 GY-S	LED		5,4	96665412
CQ 12L70 740 RWT BS 3550 CL1 M42 GY-S	LED		5,4	96665413
CQ 24L35 740 RWT BS 3550 CL1 M42 GY-S	LED		5,4	96665414
CQ 24L50 740 RWT BS 3550 CL1 M42 GY-S	LED		5,4	96665415
CQ 24L70 740 RWT BS 3550 CL1 M42 GY-S	LED		5,4	96665416
CQ 36L35 740 RWT BS 3550 CL1 M42 GY-S	LED		5,5	96665417
CQ 36L50 740 RWT BS 3550 CL1 M42 GY-S	LED		5,5	96665418
CQ 36L70 740 RWT BS 3550 CL1 M42 GY-S	LED		5,6	96665419

CiviTEQ Small, Road comfort optic

CQ 12L35 740 RC BS 3550 CL1 M42 GY-S	LED		5,4	96665420
CQ 12L50 740 RC BS 3550 CL1 M42 GY-S	LED		5,4	96665421
CQ 12L70 740 RC BS 3550 CL1 M42 GY-S	LED		5,4	96665422
CQ 24L35 740 RC BS 3550 CL1 M42 GY-S	LED		5,4	96665423
CQ 24L50 740 RC BS 3550 CL1 M42 GY-S	LED		5,4	96665424
CQ 24L70 740 RC BS 3550 CL1 M42 GY-S	LED		5,4	96665425
CQ 36L35 740 RC BS 3550 CL1 M42 GY-S	LED		5,5	96665426
CQ 36L50 740 RC BS 3550 CL1 M42 GY-S	LED		5,5	96665427
CQ 36L70 740 RC BS 3550 CL1 M42 GY-S	LED		5,6	96665428

CiviTEQ Small, Wide road optic

CQ 12L35 740 WR BS 3550 CL1 M42 GY-S	LED		5,4	96665429
CQ 12L50 740 WR BS 3550 CL1 M42 GY-S	LED		5,4	96665430
CQ 12L70 740 WR BS 3550 CL1 M42 GY-S	LED		5,4	96665431
CQ 24L35 740 WR BS 3550 CL1 M42 GY-S	LED		5,4	96665432
CQ 24L50 740 WR BS 3550 CL1 M42 GY-S	LED		5,4	96665433
CQ 24L70 740 WR BS 3550 CL1 M42 GY-S	LED		5,4	96665434
CQ 36L35 740 WR BS 3550 CL1 M42 GY-S	LED		5,5	96665435

CiviTEQ

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CQ 36L50 740 WR BS 3550 CL1 M42 GY-S	LED		5,5	96665436
CQ 36L70 740 WR BS 3550 CL1 M42 GY-S	LED		5,6	96665437
CQ 24L50 740 WR BS 3550 CL1 M60 GY-S	LED		5,5	96628351

CiviTEQ Small, Extra wide street optic

CQ 12L35 740 EWS BS 3550 CL1 M42 GY-S	LED		5,4	96665438
CQ 12L50 740 EWS BS 3550 CL1 M42 GY-S	LED		5,4	96665439
CQ 12L70 740 EWS BS 3550 CL1 M42 GY-S	LED		5,4	96665440
CQ 24L35 740 EWS BS 3550 CL1 M42 GY-S	LED		5,4	96665441
CQ 24L50 740 EWS BS 3550 CL1 M42 GY-S	LED		5,4	96665442
CQ 24L70 740 EWS BS 3550 CL1 M42 GY-S	LED		5,4	96665443
CQ 36L35 740 EWS BS 3550 CL1 M42 GY-S	LED		5,5	96665444
CQ 36L50 740 EWS BS 3550 CL1 M42 GY-S	LED		5,5	96665445
CQ 36L70 740 EWS BS 3550 CL1 M42 GY-S	LED		5,6	96665446

CiviTEQ Small, Extra wide street optic, configured products

CQ 12L70 740 EWS BS 3550 CL1 M76 GY-S	LED		5,5	96628323
CQ 24L70 740 EWS BS 3550 CL1 M76 GY-S	LED		5,4	96628324

CiviTEQ Small, Street comfort optic

CQ 12L35 740 SC BS 3550 CL1 M42 GY-S	LED		5,4	96665447
CQ 12L50 740 SC BS 3550 CL1 M42 GY-S	LED		5,4	96665448
CQ 12L70 740 SC BS 3550 CL1 M42 GY-S	LED		5,4	96665449
CQ 24L35 740 SC BS 3550 CL1 M42 GY-S	LED		5,4	96665450
CQ 24L50 740 SC BS 3550 CL1 M42 GY-S	LED		5,4	96665451
CQ 24L70 740 SC BS 3550 CL1 M42 GY-S	LED		5,4	96665452
CQ 36L35 740 SC BS 3550 CL1 M42 GY-S	LED		5,5	96665453
CQ 36L50 740 SC BS 3550 CL1 M42 GY-S	LED		5,5	96665454
CQ 36L70 740 SC BS 3550 CL1 M42 GY-S	LED		5,6	96665455

CiviTEQ Small, Extra wide street comfort optic

CQ 12L35 740 EWC BS 3550 CL1 M42 GY-S	LED		5,4	96665456
CQ 12L50 740 EWC BS 3550 CL1 M42 GY-S	LED		5,4	96665457
CQ 12L70 740 EWC BS 3550 CL1 M42 GY-S	LED		5,4	96665458
CQ 24L35 740 EWC BS 3550 CL1 M42 GY-S	LED		5,4	96665459
CQ 24L50 740 EWC BS 3550 CL1 M42 GY-S	LED		5,4	96665460
CQ 24L70 740 EWC BS 3550 CL1 M42 GY-S	LED		5,4	96665461
CQ 36L35 740 EWC BS 3550 CL1 M42 GY-S	LED		5,5	96665462
CQ 36L50 740 EWC BS 3550 CL1 M42 GY-S	LED		5,5	96665463
CQ 36L70 740 EWC BS 3550 CL1 M42 GY-S	LED		5,6	96665464

CiviTEQ Small, Extra wide road optic

CQ 12L35 740 EWR BS 3550 CL1 M42 GY-S	LED		5,4	96665465
CQ 12L50 740 EWR BS 3550 CL1 M42 GY-S	LED		5,4	96665466
CQ 12L70 740 EWR BS 3550 CL1 M42 GY-S	LED		5,4	96665467
CQ 24L35 740 EWR BS 3550 CL1 M42 GY-S	LED		5,4	96665468
CQ 24L50 740 EWR BS 3550 CL1 M42 GY-S	LED		5,4	96665469
CQ 24L70 740 EWR BS 3550 CL1 M42 GY-S	LED		5,4	96665470
CQ 36L35 740 EWR BS 3550 CL1 M42 GY-S	LED		5,5	96665471

CiviTEQ

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CQ 36L50 740 EWR BS 3550 CL1 M42 GY-S	LED		5,5	96665472
CQ 36L70 740 EWR BS 3550 CL1 M42 GY-S	LED		5,6	96665473
CiviTEQ Large, Narrow road optic				
CQ 48L35 740 NR BS 3550 CL1 M42 GY-S	LED		8,405	96643275
CQ 48L50 740 NR BS 3550 CL1 M42 GY-S	LED		8,405	96643276
CQ 48L70 740 NR BS 3550 CL1 M42 GY-S	LED		9,095	96643277
CQ 60L35 740 NR BS 3550 CL1 M42 GY-S	LED		8,445	96643278
CQ 60L50 740 NR BS 3550 CL1 M42 GY-S	LED		8,445	96643279
CQ 60L70 740 NR BS 3550 CL1 M42 GY-S	LED		9,135	96643280
CQ 72L35 740 NR BS 3550 CL1 M42 GY-S	LED		9,195	96643281
CQ 72L50 740 NR BS 3550 CL1 M42 GY-S	LED		9,195	96643282
CQ 72L70 740 NR BS 3550 CL1 M42 GY-S	LED		9,195	96643283
CQ 48L35-740 NR BP 3550 CL1 M60 GY-S	LED		8,948	96636244
CQ 48L50-740 NR BP 3550 CL1 M60 GY-S	LED		8,948	96636245
CQ 48L70-740 NR BP 3550 CL1 M60 GY-S	LED		9,386	96636246
CQ 60L35-740 NR BP 3550 CL1 M60 GY-S	LED		9,43	96636247
CQ 60L50-740 NR BP 3550 CL1 M60 GY-S	LED		9,43	96636248
CQ 60L70-740 NR BP 3550 CL1 M60 GY-S	LED		9,43	96636249
CQ 72L35-740 NR BP 3550 CL1 M60 GY-S	LED		9,537	96636250
CQ 72L50-740 NR BP 3550 CL1 M60 GY-S	LED		9,537	96636251
CQ 72L70-740 NR BP 3550 CL1 M60 GY-S	LED		9,509	96636252
CiviTEQ Large, Narrow road optic, configured products				
CQ 48L35 740 NR BS 3550 CL1 M76 GY-S	LED		8,585	96643296
CQ 48L50 740 NR BS 3550 CL1 M76 GY-S	LED		8,585	96643297
CQ 48L70 740 NR BS 3550 CL1 M76 GY-S	LED		9,275	96643298
CQ 60L35 740 NR BS 3550 CL1 M76 GY-S	LED		8,625	96643299
CQ 60L50 740 NR BS 3550 CL1 M76 GY-S	LED		8,625	96643300
CQ 60L70 740 NR BS 3550 CL1 M76 GY-S	LED		9,315	96643301
CQ 72L35 740 NR BS 3550 CL1 M76 GY-S	LED		9,375	96643302
CQ 72L50 740 NR BS 3550 CL1 M76 GY-S	LED		9,375	96643303
CQ 72L70 740 NR BS 3550 CL1 M76 GY-S	LED		9,375	96643304
CiviTEQ Large, Wide street optic				
CQ 48L35 740 WS BS 3550 CL1 M42 GY-S	LED		8,405	96665483
CQ 48L50 740 WS BS 3550 CL1 M42 GY-S	LED		8,405	96665484
CQ 48L70 740 WS BS 3550 CL1 M42 GY-S	LED		9,095	96665485
CQ 60L35 740 WS BS 3550 CL1 M42 GY-S	LED		8,445	96665486
CQ 60L50 740 WS BS 3550 CL1 M42 GY-S	LED		8,445	96665487
CQ 60L70 740 WS BS 3550 CL1 M42 GY-S	LED		9,135	96665488
CQ 72L35 740 WS BS 3550 CL1 M42 GY-S	LED		9,195	96665489
CQ 72L50 740 WS BS 3550 CL1 M42 GY-S	LED		9,195	96665490
CQ 72L70 740 WS BS 3550 CL1 M42 GY-S	LED		9,195	96665491
CiviTEQ Large, Wide street comfort optic				
CQ 48L35 740 WSC BS 3550 CL1 M42 GY-S	LED		8,405	96665501
CQ 48L50 740 WSC BS 3550 CL1 M42 GY-S	LED		8,405	96665502
CQ 48L70 740 WSC BS 3550 CL1 M42 GY-S	LED		9,095	96665503

CiviTEQ

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CQ 60L35 740 WSC BS 3550 CL1 M42 GY-S	LED		8,445	96665504
CQ 60L50 740 WSC BS 3550 CL1 M42 GY-S	LED		8,445	96665505
CQ 60L70 740 WSC BS 3550 CL1 M42 GY-S	LED		9,135	96665506
CQ 72L35 740 WSC BS 3550 CL1 M42 GY-S	LED		9,195	96665507
CQ 72L50 740 WSC BS 3550 CL1 M42 GY-S	LED		9,195	96665508
CQ 72L70 740 WSC BS 3550 CL1 M42 GY-S	LED		9,195	96665509
CiviTEQ Large, Wet road optic				
CQ 48L35 740 RWT BS 3550 CL1 M42 GY-S	LED		8,405	96665510
CQ 48L50 740 RWT BS 3550 CL1 M42 GY-S	LED		8,405	96665511
CQ 48L70 740 RWT BS 3550 CL1 M42 GY-S	LED		9,095	96665512
CQ 60L35 740 RWT BS 3550 CL1 M42 GY-S	LED		8,445	96665513
CQ 60L50 740 RWT BS 3550 CL1 M42 GY-S	LED		8,445	96665514
CQ 60L70 740 RWT BS 3550 CL1 M42 GY-S	LED		9,135	96665515
CQ 72L35 740 RWT BS 3550 CL1 M42 GY-S	LED		9,195	96665516
CQ 72L50 740 RWT BS 3550 CL1 M42 GY-S	LED		9,195	96665517
CQ 72L70 740 RWT BS 3550 CL1 M42 GY-S	LED		9,195	96665518
CiviTEQ Large, Road comfort optic				
CQ 48L35 740 RC BS 3550 CL1 M42 GY-S	LED		8,405	96665519
CQ 48L50 740 RC BS 3550 CL1 M42 GY-S	LED		8,405	96665520
CQ 48L70 740 RC BS 3550 CL1 M42 GY-S	LED		9,095	96665521
CQ 60L35 740 RC BS 3550 CL1 M42 GY-S	LED		8,445	96665522
CQ 60L50 740 RC BS 3550 CL1 M42 GY-S	LED		8,445	96665523
CQ 60L70 740 RC BS 3550 CL1 M42 GY-S	LED		9,135	96665524
CQ 72L35 740 RC BS 3550 CL1 M42 GY-S	LED		9,195	96665525
CQ 72L50 740 RC BS 3550 CL1 M42 GY-S	LED		9,195	96665526
CQ 72L70 740 RC BS 3550 CL1 M42 GY-S	LED		9,195	96665527
CiviTEQ Large, Wide road optic				
CQ 48L35 740 WR BS 3550 CL1 M42 GY-S	LED		8,405	96665528
CQ 48L50 740 WR BS 3550 CL1 M42 GY-S	LED		8,405	96665529
CQ 48L70 740 WR BS 3550 CL1 M42 GY-S	LED		9,095	96665530
CQ 60L35 740 WR BS 3550 CL1 M42 GY-S	LED		8,445	96665531
CQ 60L50 740 WR BS 3550 CL1 M42 GY-S	LED		8,445	96665532
CQ 60L70 740 WR BS 3550 CL1 M42 GY-S	LED		9,135	96665533
CQ 72L35 740 WR BS 3550 CL1 M42 GY-S	LED		9,195	96665534
CQ 72L50 740 WR BS 3550 CL1 M42 GY-S	LED		9,195	96665535
CQ 72L70 740 WR BS 3550 CL1 M42 GY-S	LED		9,195	96665536
CiviTEQ Large, Extra wide street optic				
CQ 48L35 740 EWS BS 3550 CL1 M42 GY-S	LED		8,405	96665537
CQ 48L50 740 EWS BS 3550 CL1 M42 GY-S	LED		8,405	96665538
CQ 48L70 740 EWS BS 3550 CL1 M42 GY-S	LED		9,095	96665539
CQ 60L35 740 EWS BS 3550 CL1 M42 GY-S	LED		8,445	96665540
CQ 60L50 740 EWS BS 3550 CL1 M42 GY-S	LED		8,445	96665541
CQ 60L70 740 EWS BS 3550 CL1 M42 GY-S	LED		9,135	96665542
CQ 72L35 740 EWS BS 3550 CL1 M42 GY-S	LED		9,195	96665543
CQ 72L50 740 EWS BS 3550 CL1 M42 GY-S	LED		9,195	96665544

CiviTEQ

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CQ 72L70 740 EWS BS 3550 CL1 M42 GY-S	LED		9,195	96665545
CiviTEQ Large, Street comfort optic				
CQ 48L35 740 SC BS 3550 CL1 M42 GY-S	LED		8,405	96665546
CQ 48L50 740 SC BS 3550 CL1 M42 GY-S	LED		8,405	96665547
CQ 48L70 740 SC BS 3550 CL1 M42 GY-S	LED		9,095	96665548
CQ 60L35 740 SC BS 3550 CL1 M42 GY-S	LED		8,445	96665549
CQ 60L50 740 SC BS 3550 CL1 M42 GY-S	LED		8,445	96665550
CQ 60L70 740 SC BS 3550 CL1 M42 GY-S	LED		9,135	96665551
CQ 72L35 740 SC BS 3550 CL1 M42 GY-S	LED		9,195	96665552
CQ 72L50 740 SC BS 3550 CL1 M42 GY-S	LED		9,195	96665553
CQ 72L70 740 SC BS 3550 CL1 M42 GY-S	LED		9,195	96665554
CiviTEQ Large, Extra wide street comfort optic				
CQ 48L35 740 EWC BS 3550 CL1 M42 GY-S	LED		8,405	96665555
CQ 48L50 740 EWC BS 3550 CL1 M42 GY-S	LED		8,405	96665556
CQ 48L70 740 EWC BS 3550 CL1 M42 GY-S	LED		9,095	96665557
CQ 60L35 740 EWC BS 3550 CL1 M42 GY-S	LED		8,445	96665558
CQ 60L50 740 EWC BS 3550 CL1 M42 GY-S	LED		8,445	96665559
CQ 60L70 740 EWC BS 3550 CL1 M42 GY-S	LED		9,135	96665560
CQ 72L35 740 EWC BS 3550 CL1 M42 GY-S	LED		9,195	96665561
CQ 72L50 740 EWC BS 3550 CL1 M42 GY-S	LED		9,195	96665562
CQ 72L70 740 EWC BS 3550 CL1 M42 GY-S	LED		9,195	96665563
CiviTEQ Large, Extra wide road optic				
CQ 48L35 740 EWR BS 3550 CL1 M42 GY-S	LED		8,405	96665564
CQ 48L50 740 EWR BS 3550 CL1 M42 GY-S	LED		8,405	96665565
CQ 48L70 740 EWR BS 3550 CL1 M42 GY-S	LED		9,095	96665566
CQ 60L35 740 EWR BS 3550 CL1 M42 GY-S	LED		8,445	96665567
CQ 60L50 740 EWR BS 3550 CL1 M42 GY-S	LED		8,445	96665568
CQ 60L70 740 EWR BS 3550 CL1 M42 GY-S	LED		9,135	96665569
CQ 72L50 740 EWR BS 3550 CL1 M42 GY-S	LED		9,195	96665571
CQ 72L70 740 EWR BS 3550 CL1 M42 GY-S	LED		9,195	96665572