



Voyager Style

Voyager Style - The ultra-slim emergency luminaire

- **Ultra-slim:** Thorn's Voyager Style shows that emergency luminaires don't have to be bulky or obtrusive. At just 37 mm thick, this understated fitting can blend into any interior, and is easy to mount in a variety of configurations
- **Power options:** Whether your emergency lighting system relies on self-contained battery-powered luminaires or a central battery system, Voyager Style meets your needs
- **Sleek and simple:** The wide range of mounting options means Voyager Style can fit in wherever you need emergency light. The recessed mounting option makes for a particularly unobtrusive appearance



Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.



Material/Finish

Housing: white polycarbonate

Cover: transparent polycarbonate

Installation/Mounting

Tool-less 'Click' mounting after fitting the housing base

Specification

To specify state:

Flexible emergency luminaire for various mounting possibilities that can be even extended with an adapter. Only 37mm housing depth for state of the art design. Orderable as safety sign or safety luminaire. Manual, selftest, circuit controlled or SET009 (only central supply) version capability.

As Thorn Voyager Style.

Voyager Style

Ordering Guide

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
Voyager Style Surface 23 metre range				
VOYAGER STYLE 115 MS E3-S SM-S WH			0,98	96222359
VOYAGER STYLE 115 MS E3T-S SM-S WH			0,98	96222360
VOYAGER STYLE 115 MS ECC SM-S WH			0,85	96222361
VOYAGER STYLE 115 MS ECS SM-S WH			0,9	96222362
VOYAGER STYLE 115 P MS E3D SM-S WH			0,95	96631614
VOYAGER STYLE 115 P MS ECD SM-S WH			0,75	96632896
VOYAGER STYLE 115 P MS ECP SM-S WH			0,75	96632901
Voyager Style Surface 30 metre range				
VOYAGER STYLE 150 MS E3-S SM-S WH			1,08	96631608
VOYAGER STYLE 150 MS E3T-S SM-S WH			1,08	96631609
VOYAGER STYLE 150 P MS E3D SM-S WH			1,3	96631610
VOYAGER STYLE 150 MS ECC SM-S WH			1,02	96631611
VOYAGER STYLE 150 MS ECS SM-S WH			1,01	96631612
VOYAGER STYLE 150 P MS ECD SM-S WH			1,13	96632898
VOYAGER STYLE 150 P MS ECP SM-S WH			1,16	96632903
Voyager Style Suspended 23 metre range				
VOYAGER STYLE 115 MS-WF15 E3-S SM-S WH			1,03	96222363
VOYAGER STYLE 115 MS-WF15 E3T-S SM-S WH			1,03	96222364
VOYAGER STYLE 115 MS-WF15 ECC SM-S WH			0,96	96222365
VOYAGER STYLE 115 MS-WF15 ECS SM-S WH			1,01	96222366
VOYAGER STYLE 115 P MS-WF15 E3D SM-S WH			0,95	96631615
VOYAGER STYLE 115 P MS-WF15 ECD SM-S WH			0,79	96632897
VOYAGER STYLE 115 P MS-WF15 ECP SM-S WH			0,79	96632902
Voyager Style Suspended 30 metre range				
VOYAGER STYLE 150 MS-WF15 E3-S SM-S WH			1,44	96222367
VOYAGER STYLE 150 MS-WF15 E3T-S SM-S WH			1,44	96222368
VOYAGER STYLE 150 MS-WF15 ECC SM-S WH			1,37	96222369
VOYAGER STYLE 150 MS-WF15 ECS SM-S WH			1,39	96222370
VOYAGER STYLE 150 P MS-WF15 E3D SM-S WH			1,27	96631616
VOYAGER STYLE 150 P MS-WF15 ECD SM-S WH			1,15	96632899
VOYAGER STYLE 150 P MS-WF15 ECP SM-S WH			1,15	96632904
Voyager Style Accessory				
VOYAGER STYLE 115 FSR WH			0,17	96222371
VOYAGER STYLE 150 FSR WH			0,11	96631613
VOYAGER STYLE / ONE MSC-CORD25			0,2	96631617
VOYAGER STYLE / ONE MSC-R05			0,13	96631618
VOYAGER STYLE 115 BP GRID			0,94	96631619
VOYAGER STYLE 150 / ONE BP GRID			1,64	96631620
VOYAGER STYLE 150 / ONE MS90°			0,33	96631621
VOYAGER STYLE 115 MS90°			0,27	96631622
VOYAGER STYLE 150 CCS			1,5	96222697
Voyager Style Spares				

Voyager Style

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
Voyager Style ACCU 3h			0,1	59009397
<Voyager Style 115 Ballast ECD			0,06	59010999
<Voyager Style 150 Ballast ECD			0,05	59011000
<Voyager Style 115 Ballast ECP			0,06	59011002
<Voyager Style 150 Ballast ECP			0,06	59011003