

THORN

Garbo

Calm mellow light from decorative wall, pendant and ceiling luminaires



Garbo represents Thorn's latest thinking on how to combine a soft, mellow light within a discreet, classic and timeless luminaire

Garbo is a new family of decorative wall, pendant and ceiling luminaires suitable for circulation routes, hotels, restaurants, offices and shops, indeed anywhere an atmosphere of calm and relaxation is required. Comprising a clean, white diffuser supported by a steel frame and brushed stainless steel fixings, Garbo's soft, cylindrical shape blends in discreetly with its surroundings, its pure, classic lines ensuring it remains unaffected by the passing changes in fashion.

Garbo is not just a pretty face. Incorporating the latest in lighting technology, materials and construction, Garbo is also able to meet all relevant performance and safety requirements.

The broad range of products available within the family ensures a wide range of applications can be given the 'Garbo' treatment.

Classic looks, contemporary technology, flexible solutions. Garbo from Thorn.

Features

- Family product range
- Classic and retro look
- Incorporating quality materials
- Soft light
- Halogen-free cable and wires
- Easy installation and maintenance



Pendant

A stylish Pendant featuring the soft, cylindrical shape that defines the family of Garbo luminaires



- Understated cylindrical diffuser in satin PC
- Ornamented with contrasting brushed stainless steel fixings
- Housing material in sheet steel
- Decorative ring in aluminium
- Easy installation
- Ceiling box included

Lamps

⇒ 24W TC-L (FSD)
compact fluorescent.
Cap: 2G11

Materials/Finish

Diffuser: satin PC
Housing: sheet steel
Fixings: brushed stainless steel
Decorative ring: aluminium

Installation/Mounting

All variants are delivered with white cable, 2.6 m, without plug.

Standards

Designed and manufactured to comply with EN 60598.

⊕ Class I electrical.

850°C glow wire.

IP20  

Specification

To specify state: stylish pendant luminaire for 24W TC-L compact fluorescent lamp(s), with soft cylindrical shape and brushed stainless steel fixings.
As Garbo Pendant.



Wall and Wall Uplight



Garbo Wall with grey back plate

This clean looking Wall luminaire is available with dimming and emergency options. Its discreet profile blends in with its environment, creating a calm, mellow light.

- Semi-cylindrical diffuser in satin PC
- Ornamented with contrasting brushed stainless steel fixings
- Housing material in sheet steel
- Optional decorative back plate in grey or white
- Digital dimming and emergency options available
- Easy installation

Lamps

18-24W TC-L (FSD)
compact fluorescent.
Cap: 2G11

Materials/Finish

Diffuser: satin PC
Housing: sheet steel
Fixings: brushed stainless steel

Installation/Mounting

Gear tray fixes directly to wall via two fixing holes at 250mm centres.
Rear cable entry. Diffuser, with or without back plate, mounts directly to gear tray.
Piano key 3 x 1.5mm² terminal block. Looping possible.

Standards

Designed and manufactured to comply with EN 60598.

⊕ Class I electrical.
850°C glow wire.
IP20

Specification

To specify state: mellow light wall luminaire for 18-24W TC-L compact fluorescent lamp, with soft semi-cylindrical shape and brushed stainless steel fixings. As Garbo Wall.



This Wall Uplight stands out, as the semi-cylindrical diffuser is horizontal, yet it maintains the timeless appeal of Garbo and can work equally well on its own or with other luminaires from the family.

- Classic semi-cylindrical diffuser in satin PC
- Ornamented with contrasting brushed stainless steel fixings
- Housing material in sheet steel
- Easy installation
- High lumen package from ceramic metal halide lamp (supplied). Choice of Mastercolour CMD-TP 70W/830 or CDM-TP 150W/830

Lamps

70-150W HIT-CE (MMT)
Philips Mastercolour CMD-TP/830
Cap: PG12-2/PGX12-2

Materials/Finish

Diffuser: satin PC
Housing and base: sheet steel
Fixings: brushed stainless steel

Installation/Mounting

Fixes directly to wall via two fixing holes at 177mm horizontal centres
Piano key 3 x 1.5mm² terminal block. Looping possible.
Supplied with lamp.

Standards

Designed and manufactured to comply with EN 60598.
⊕ Class I electrical.
850°C glow wire.
IP20

Specification

To specify state: attractive wall uplight for 70-150W Mastercolour lamps, with soft semi-cylindrical shape and brushed stainless steel fixings. As Garbo Wall Uplight.

Ceiling and Downlight Attachment



A stylish Ceiling fitting with wide appeal, incorporating the performance and technology that characterises Garbo

- Attractive cylindrical diffuser in satin PC
- Ornamented with contrasting brushed stainless steel fixings
- Housing material in sheet steel
- Throws light onto the ceiling, reduces contrast between ceiling and luminaire
- Decorative ring in aluminium
- Easy installation

Lamps

18-26W TC-TEL (FSM) compact fluorescent.
Cap: GX24q

Materials/Finish

Diffuser: satin PC
Housing: sheet steel
Fixings: brushed stainless steel
Decorative ring: aluminium

Installation/Mounting

Gear tray fixes directly to ceiling via two fixing holes at 100mm centres
Diffuser and housing mounts directly to gear tray.

Piano key 3 x 1.5mm² terminal block. Looping possible.

Standards

Designed and manufactured to comply with EN 60598.
Ⓢ Class I electrical.
850°C glow wire.
IP20

Specification

To specify state: mellow light ceiling luminaire for 18-26W TC-TEL compact fluorescent lamp, with soft cylindrical shape and brushed stainless steel fixings.
As Garbo Ceiling.



A decorative Downlight Attachment for the Corsa 200 downlight



- Circular diffuser in satin PC
- Throws light onto ceiling, reduces contrast between ceiling and luminaire
- Bezel in aluminium
- Easy installation

Materials/Finish

Diffuser: satin PC
Bezel: aluminium

Installation/Mounting

Bayonet fitting to the downlight.

Standards

Designed and manufactured to comply with EN 60598.
Ⓢ Class I electrical.
850°C glow wire.
IP20

Specification


To specify state: decorative downlight attachment for Corsa 200 downlight with soft circular detail.
As Garbo Downlight Attachment.




Ordering Guide, Photometrics and dimensions




Garbo Pendant








Garbo Wall



Garbo Wall Uplight



Garbo Ceiling



Ordering Guide

Garbo Pendant Lamp(s) to be ordered separately

Description	Ilcos Code	Socket	Weight (Kg)	SAP Code
GARBO P 24W TC-L HF	FSD	2G11	2.0	96202803
GARBO P 2X24W TC-L HF	FSD	2G11	2.0	96202804

Garbo Wall Lamp to be ordered separately

Description	Ilcos Code	Socket	Weight (Kg)	SAP Code
GARBO WALL 18W TC-L HF	FSD	2G11	1.6	96202809
GARBO WALL 24W TC-L HF	FSD	2G11	1.6	96202810
GARBO WALL 18W TC-L HFD	FSD	2G11	1.6	96202811
GARBO WALL 24W TC-L HFD	FSD	2G11	1.6	96202812
GARBO WALL 18W TC-L HF EM3	FSD	2G11	2.0	96202813
GARBO WALL 24W TC-L HF EM3	FSD	2G11	2.0	96202814

Attachment


GARBO WALL BACK PLATE WHI			0.6	96202816
GARBO WALL BACK PLATE GRY			0.6	96202820

Garbo Wall Uplight Supplied complete with lamp

Description	Ilcos Code	Socket	Weight (Kg)	SAP Code
GARBO WALL UP 70W MT LI	MTP	PG12-2	3.9	96202818
GARBO WALL UP 150W MT LI	MTP	PGX12-2	3.9	96202817



Garbo Downlight Attachment



Garbo Ceiling Lamp to be ordered separately

Description	Ilcos Code	Socket	Weight (Kg)	SAP Code
GARBO C 18W TC-TEL HF	FSM	GX24q2	1.0	96202806
GARBO C 26W TC-TEL HF	FSM	GX24q3	1.0	96202807

HF - high frequency, HFD - high frequency dimming, EM3 - manual 3hr emergency, WHI - white, GRY - grey,

Downlight Attachment

Description	Weight (Kg)	SAP Code
CORSA 200 GARBO RING PC	0.2	96202819

Contact Details

Thorn Lighting Limited

**UK Sales desk -
Orders/Stock Enquiries**
Tel: 08701 610 610
Fax: 08701 610 611

**Regional Offices
& Lighting Design Centres**
Tel: 08701 610 710
Fax: 08701 610 711

Eastern & London Projects
Silver Screens, Elstree Way, Borehamwood,
Hertfordshire, WD6 1FE
Tel: 08701 610 710
Fax: 08701 610 711

Southern & Western Projects
16 Columbus Walk, Atlantic Wharf,
Cardiff, Wales CF10 4TL
Tel: 08701 610 710
Fax: 08701 610 711

Northern Projects
The Towers, Wilmslow Road, Didsbury,
Manchester M20 2SE
Tel: 08701 610 710
Fax: 08701 610 711

South East and South West Wholesale
Silver Screens, Elstree Way, Borehamwood,
Hertfordshire, WD6 1FE
Tel: 08701 610 710
Fax: 08701 610 711

Northern & Midlands Wholesale
Trading Estate, Spennymoor,
Co. Durham DL16 7UR
Tel: 08701 610 710
Fax: 08701 610 711

Scotland
Hamilton Business Centre, Caird Park,
Hamilton, Lanarkshire ML3 0QB
Tel: 08701 610 710
Fax: 08701 610 711

Northern Ireland
Building 3 Lesley Office Park,
393 Holywood Road, Belfast BT4 2LS
Tel: 08701 610 710
Fax: 08701 610 711

Outdoor Lighting
The Towers, Wilmslow Road, Didsbury,
Manchester M20 2SE
Tel: 0161 445 2719
Fax: 0161 448 8015
e-mail: enquiries.outdoor@thornlight.com

Airfield Lighting
Silver Screens, Elstree Way, Borehamwood,
Hertfordshire, WD6 1FE
Tel: 020 8732 9804
Fax: 020 8732 9803
E-mail: airfield@thornlight.com
Website: www.thornairfield.com

Ireland
320 Harold's Cross Road, Dublin 6W
Tel: (353) 1 4922 877
Fax: (353) 1 4922 724
E-mail: enq.dublin@thornlight.com

International Sales
Silver Screens, Elstree Way, Borehamwood,
Hertfordshire, WD6 1FE
Tel: 020 8732 9802
Fax: 020 8732 9803
E-mail: international.sales@thornlight.com

Thorn Lighting Ltd Dubai
Al Shoala Building, Office 301,
Block E, PO Box 1200, Deira, Dubai, UAE
Tel: (971) 4 2940181
Fax: (971) 4 2948838
E-mail: tluae@emirates.net.ae

Thorn Gulf LLC
Al Shoala Building, Office 301/2,
Block E, PO Box 1200, Deira, Dubai, UAE
Tel: (971) 4 2948938
Fax: (971) 4 2948838
E-mail: thorgn@emirates.net.ae

Spare Parts
Tel: 0191 301 3131
Fax: 0191 301 3038
E-mail: spares@thornlight.com

Technical Support
Tel: 0870 600 8111
Fax: 0191 301 3907
E-mail: technical@thornlight.com

Brochureline Answering Service
Brochures on specific products/ranges
Tel: 020 8732 9898
Fax: 020 8732 9899
E-mail: brochures@thornlight.com

Other Offices in:
Australia, Austria, China, Czech Republic,
Denmark, Estonia, Finland, France,
Hong Kong, Hungary, Italy, Latvia, Lithuania,
New Zealand, Norway, Poland, Russia,
Singapore, Sweden and UAE

www.thornlighting.co.uk

THORN

Lighting people and places

Thorn Lighting is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request. All measurements are in millimetres and weights in kilograms unless otherwise stated.

Publication No: 354 (UK) Publication Date: 06/05



Member of The Lighting
Industry Federation



ISO 9001:2000
Reg: 2916/0
Manufacturing & Distribution