

THORN

Garbo

Calm mellow light from decorative wall and ceiling luminaires



Garbo represents Thorn's latest thinking on how to combine a soft, mellow light within a discreet, classic and timeless luminaire

Garbo is a new family of decorative wall and ceiling luminaires suitable for circulation routes, hotels, restaurants, offices and shops, indeed anywhere an atmosphere of calm and relaxation is required. Comprising a clean, white diffuser supported by a steel frame and brushed stainless steel fixings, Garbo's soft, tubular shape blends in discreetly with its surroundings, its pure, classic lines ensuring it remains unaffected by the passing changes in fashion.

Garbo is not just a pretty face. Incorporating the latest in lighting technology, materials and construction, Garbo is also able to meet all relevant performance and safety requirements.

The wide range of products available within the family ensures a wide range of applications can be given the 'Garbo' treatment.

Classic looks, contemporary technology, flexible solutions. Garbo from Thorn.

Features

- Family product range
- Classic and retro look
- Incorporating quality materials
- Soft light
- Halogen-free cable and wires
- Easy installation and maintenance



Pendant

A stylish Pendant available in two lengths featuring the soft, tubular shape that defines the family of Garbo luminaires



- Understated tubular diffuser in satin PC
- Ornamented with contrasting brushed stainless steel fixings
- Housing material in sheet steel
- Decorative ring in aluminium
- Easy installation
- Ceiling cup included

Lamps

-  24W TC-L (FSD) compact fluorescent. Cap: 2G11
-  60-100W A(A) incandescent. Cap: E27

Materials/Finish

Diffuser: satin PC
Housing: sheet steel
Fixings: brushed stainless steel
Decorative ring: aluminium

Installation/Mounting

All variants are delivered with white cable, 2.6 m, without plug.

Standards

Designed and manufactured to comply with EN 60598.
⊕ Class I electrical.
8500C fire retardant.
IP20  

Specification

To specify state: stylish pendant luminaire for 24W TC-L compact fluorescent/60-100W A incandescent lamps, with soft tubular shape and brushed stainless steel fixings.
As Garbo Pendant.



Wall and Wall Uplight



This clean looking Wall luminaire is available with dimming and emergency options. Its discreet profile blends in with its environment, creating a calm, mellow light.

- Half tube diffuser in satin PC
- Ornamented with contrasting brushed stainless steel fixings
- Housing material in sheet steel
- Decorative back plate in grey or white to be ordered separately as an accessory
- Dimming and emergency options available
- Easy installation

Lamps

 18-24W TC-L (FSD) compact fluorescent.
 Cap: 2G11
 40W A(IA) incandescent.
 Cap: E14

Materials/Finish

Diffuser: satin PC
 Housing: sheet steel
 Fixings: brushed stainless steel

Installation/Mounting

Suitable for wall mounting using two fixings. Vertical distance between mounting fixings is 250mm. Piano key 3 x 1.5mm². Looping possible.

Standards

Designed and manufactured to comply with EN 60598.
 Class I electrical.
 8500C fire retardant.
 IP20  

Specification

To specify state: mellow light wall luminaire for 18-24W TC-L compact fluorescent/40W A incandescent lamps, with soft tubular shape and brushed stainless steel fixings. As Garbo Wall.



This Wall Uplight stands out, as the tube is horizontal, yet it maintains the timeless appeal of Garbo and can work equally well on its own or with other luminaires from the family.

- Classic half-tube diffuser in satin PC
- Ornamented with contrasting brushed stainless steel fixings
- Housing material in sheet steel
- Easy installation
- Supplied complete with lamp - a choice of Mastercolour CMD-TP 70W/830 PG12 or Mastercolour CDM-TP 150W/830 PGX12-2

Lamps

 70-150W HIT-CE (MTP) Mastercolour
 Cap: PG12-2/PGX12-2

Materials/Finish

Diffuser: satin PC
 Housing and base: sheet steel
 Fixings: brushed stainless steel

Installation/Mounting

Suitable for wall mounting using two fixings (not included). Horizontal distance between mounting fixings is 177mm. The wall uplight luminaire is delivered with lamps. Piano key 3 x 1.5mm². Looping possible.

Standards

Designed and manufactured to comply with EN 60598.
 Class I electrical.
 8500C fire retardant.
 IP20  

Specification

To specify state: attractive wall uplight for 70-150W mastercolour lamps, with soft tubular shape and brushed stainless steel fixings. As Garbo Wall Uplight.

Ceiling and Downlight Attachment



A stylish Ceiling fitting with wide appeal, incorporating the performance and technology that characterises Garbo

- Attractive tubular diffuser in satin PC
- Ornamented with contrasting brushed stainless steel fixings
- Housing material in sheet steel
- Throws light onto the ceiling, reduces contrast between ceiling and luminaire
- Decorative ring in aluminium
- Easy installation

Lamps

18-26W TC-TEL (FSM) compact fluorescent.
Cap: GX24q
60-100 A(IA) incandescent.
Cap: E27

Materials/Finish

Diffuser: satin PC
Housing: sheet steel
Fixings: brushed stainless steel
Decorative ring: aluminium

Installation/Mounting

Distance between mounting fixings is 100mm.
Piano key 3 x 1.5mm².
Looping possible.

Standards

Designed and manufactured to comply with EN 60598.
Class I electrical.
8500C fire retardant.
IP20

Specification

To specify state: mellow light ceiling luminaire for 18-26W TC-TEL compact fluorescent/60-100W A incandescent, with soft tubular shape and brushed stainless steel fixings. As Garbo Ceiling.



A decorative Downlight Attachment for Corsa 200



- Circular diffuser in satin PC
- Throws light onto ceiling, reduces contrast between ceiling and luminaire
- Bezel in aluminium
- Easy installation

Materials/Finish

Diffuser: satin PC
Bezel: aluminium

Installation/Mounting

Bayonet fitting to the downlight.

Standards

Designed and manufactured to comply with EN 60598.
Class I electrical.
8500C fire retardant.
IP20

Specification


To specify state: decorative downlight attachment for Corsa 200 with soft tubular detail. As Garbo Downlight Attachment.




Ordering Guide, Photometrics and dimensions




Garbo Pendant








Garbo Wall



Garbo Wall Uplight



Garbo Ceiling



Ordering Guide

Garbo Pendant Lamps to be ordered separately

Description	Ilcos Code	Socket	Weight (Kg)	SAP Code
GARBO P 24W TC-L HF	FSD	2G11	2.0	96202803
GARBO P 2X24W TC-L HF	FSD	2G11	2.0	96202804
GARBO P GLS 60-100W E27	IA	E27	2.0	96202805

Garbo Wall Lamps to be ordered separately

Description	Ilcos Code	Socket	Weight (Kg)	SAP Code
GARBO WALL 18W TC-L HF	FSD	2G11	1.6	96202809
GARBO WALL 24W TC-L HF	FSD	2G11	1.6	96202810
GARBO WALL 18W TC-L HFD	FSD	2G11	1.6	96202811
GARBO WALL 24W TC-L HFD	FSD	2G11	1.6	96202812
GARBO WALL 18W TC-L HF EM3	FSD	2G11	2.0	96202813
GARBO WALL 24W TC-L HF EM3	FSD	2G11	2.0	96202814
GARBO WALL GLS 2X40 E14	IA	E14	1.6	96202815
GARBO WALL BACK PLATE WHI			0.6	96202816
GARBO WALL BACK PLATE GRY			0.6	96202820

Garbo Wall Uplight Supplied complete with lamps

Description	Ilcos Code	Socket	Weight (Kg)	SAP Code
GARBO WALL UP 70W MT LI	MTP	PG12-2	3.9	96202818
GARBO WALL UP 150W MT LI	MTP	PGX12-2	3.9	96202817

Garbo Downlight Attachment



Garbo Ceiling Lamps to be ordered separately

Description	Ilcos Code	Socket	Weight (Kg)	SAP Code
GARBO C 18W TC-TEL HF	FSM	GX24q2	1.0	96202806
GARBO C 26W TC-TEL HF	FSM	GX24q3	1.0	96202807
GARBO C GLS 60-100W E27	IA	E27	1.0	96202808

HF - High Frequency, HFD - High Frequency Dimmable, EM3 - Three hours emergency, WHI - white, GRY - grey

Downlight Attachment

Description	Weight (Kg)	SAP Code
CORSA 200 GARBO RING PC	0.2	96202819

Contact Details

Thorn Lighting Main Offices

Head Office

Thorn Lighting Holdings Limited,
Silver Screens, Elstree Way, Borehamwood,
Hertfordshire, WD6 1FE, UK
Tel: (44) 20 8732 9800
Fax: (44) 20 8732 9801
E-mail: info@thornlight.com
Website: www.thornlighting.com

Australia

Thorn Lighting Pty Limited, 13 Cooper Street,
P O Box 188, Smithfield, NSW 2164, Australia
Tel: (61) 2 9604 4300
Fax: (61) 2 9604 4588
E-mail: info@thornlight.com.au
Website: www.thornlight.com.au

Thorn DNT Airfield Lighting Pty Limited, P O Box 548,
Unit 2, 7-9 Newcastle Road, Bayswater, Melbourne,
Victoria 3153, Australia
Tel: (61) 3 9720 3233
Fax: (61) 3 9720 8233
E-mail: enquiries@thornlight.com.au
Website: www.thornairfield.com

Austria

Thorn Licht GesmbH, Erzherzog Karl-Straße 57,
Wien A-1220, Austria
Tel: (43) 1 202 66 11
Fax: (43) 1 202 66 11 12
E-mail: office@thorn.at

China

Thorn Lighting (Guangzhou) Limited,
(Factory & Guangzhou Office), No 1 Yi Heng Road,
Eastern Section, GETDD, Guangzhou 510760, China
Tel: (86) 20 8224 1706
Fax: (86) 20 8224 5777
E-mail: gzhthorn@public.guangzhou.gd.cn

Thorn Lighting (Tianjin) Company Ltd, 332 Hongqi Road,
Tianjin 300190, China
Tel: (86) 22 8369 2303
Fax: (86) 22 8369 2302
E-mail: thornlj@public.tpt.tj.cn

Thorn Lighting (Guangzhou) Limited, Shanghai Branch
Office, Room 2609, Union Building, 100 Yanan Road East,
Shanghai 200002, China
Tel: (86) 21 6323 0800
Fax: (86) 21 6373 1626
E-mail: thornsha@public.sta.net.cn

Thorn Lighting (Guangzhou) Limited,
Beijing Branch Office, Room 519, China World Tower I,
China World Trade Centre, Beijing 100004, China
Tel: (86) 10 6505 4601
Fax: (86) 10 6505 4603
E-mail: thornbj@public.bta.net.cn

Czech Republic

Thorn Lighting CS, spol., Jaslenska 6, Praha 6,
160 00 Czech Republic
Tel: (42) 02 2431 5252
Fax: (42) 02 3332 6313
E-mail: thorn@thornlight.cz
Website: www.thornlight.cz

Denmark

Thorn Lighting A/S
Albuen 44, 6000 Kolding, Denmark
Tel: (45) 7696 3600
Fax: (45) 7696 3601
Website: www.thornlight.dk

Estonia

Thorn Lighting Oy, Eesti Filiaal,
Tatari 23/25, EE-10116 Tallin, Estonia
Tel: (372) 656 3505
Fax: (372) 656 3227
E-mail: ando@thorn.ee

Finland

Thorn Lighting Oy, Airport Plaza Business Park,
Ayrilite 12A, 01510 Vantaa, Finland
Tel: (358) 9 549 222
Fax: (358) 9 549 22300
E-mail: asiakaspalvelu@thornlight.fi
Website: www.thornlight.fi

France

Thorn Europhane SA, 156 Boulevard Haussmann,
Cedex 08, Paris 75379, France
Tel: (33) 1 49 53 6262
Fax: (33) 1 49 53 6240
Website: www.thorn.fr

Thorn Airfield Lighting, 156 Boulevard Haussmann,
75379 Paris Cedex 08, France
Tel: (33) 1 49 53 62 62
Fax: (33) 1 49 53 62 89
E-mail: thornairfield@thorn.fr
Website: www.thornairfield.com

Hong Kong

Thorn Lighting (Hong Kong) Limited, Unit 4301,
Level 43, Tower 1, Metroplaza, 223 Hing Fong Road,
Kwai Chung, N.T., Hong Kong
Tel: (852) 2578 4303
Fax: (852) 2887 0247
E-mail: info@thorn.com.hk
Website: www.thorn.com.hk

Thorn Lighting (HK) Ltd
Macau Branch, Room 306, 3/F Marina Gardens,
876 Avenida da Amizade, Macau, China
Tel: (853) 702 971/702 972
Fax: (853) 702 970
E-mail: thorn@macau.ctm.net
Website: www.thorn.com.hk

Thorn Lighting CLK Ltd.
Airfield Lighting Division, Unit No.4301, Level 43,
Tower 1, Metroplaza, 223 Hing Fong Road,
Kwai Chung, New Territories, Hong Kong
Tel: (852) 2988 4128
Fax: (852) 2988 4139
E-mail: adminhk@thornclkaff.com.hk
Website: www.thornairfield.com

Hungary

Thorn Lighting Hungary Kft, West Gate Business Park,
Torokbalint, To Park H-2045, Hungary
Tel: (36) 23 501 570
Fax: (36) 23 418 120

Ireland

Thorn Lighting (Ireland) Limited,
320 Harold's Cross Road, Dublin 6W, Ireland
Tel: (353) 1 4922 877
Fax: (353) 1 4922 724
E-mail: enq.dublin@thornlight.com

Italy

Thorn Europhane Spa, Via G Di Vittorio, 2,
Cadriano di Granarolo, Bologna 40057, Italy
Tel: (39) 051 763391
Fax: (39) 051 763088
E-mail: info@thornlighting.it
Website: www.thornlighting.it

Latvia

Thorn Lighting Oy, Representative Office,
Skolas Street 21-216, Riga LV 1010, Latvia
Tel: (371) 7 332 660
Fax: (371) 7 332 660

Lithuania

Thorn Lighting Oy, Representative Office,
Kalvariju Street 1, Vilnius 09310, Lithuania
Tel: (370) 5 2 750 701
Fax: (370) 5 2 731 480

New Zealand

Thorn Lighting (NZ) Ltd, 399 Rosebank Road,
P O Box 71134, Rosebank, Auckland 7, New Zealand
Tel: (64) 9 828 7155
Fax: (64) 9 828 7591

Norway

Thorn Lighting AS, Industriveien 11, P O Box 63,
Skytta 1483, Norway
Tel: (47) 6706 2233
Fax: (47) 6706 0351
E-mail: s.kvernberg@thornlight.no

Poland

Thorn Lighting Polska Sp.z.o.o., Ul. Gazowa 26A,
Wroclaw 50-513, Poland
Tel: (48) 71 7833 740
Fax: (48) 71 3366 029
E-mail: thorn@thornlight.pl
Website: www.thornlight.pl

Russia

Thorn Lighting, Novoslobodskaya Str.,21,
office 406 Business Center "Novoslobodskaya21",
Moscow 103030, Russia
Tel: (7) 095 956 59 39
Fax: (7) 095 956 59 40
E-mail: office.moscow@thorn.ru
Website: www.thorn.ru

Thorn Lighting, Representative Office, Europa House,
1 Artileriiskaya, St Petersburg 191104, Russia
Tel: (7) 812 118 8112
Fax: (7) 812 118 8119
E-mail: office.petersburg@thorn.ru
Website: www.thorn.ru

Singapore

Thorn Lighting (Singapore) Pte Ltd, 5 Kaki Bukit Crescent,
04-02 Koyotech Building, 416238 Singapore
Tel: (65) 6844 5800
Fax: (65) 6745 7707
E-mail: info@thornlight.com.sg
Website: www.thornlight.com.sg

Sweden

Thorn Lighting AB, Industrigatan, Box 305,
SE-261 23 Landskrona, Sweden
Tel: (46) 418 520 00
Fax: (46) 418 265 74
E-mail: thorn@thornlight.se
Website: www.thornlight.se

United Arab Emirates

Thorn Lighting Ltd Dubai, Al Shoala Building, Office 301,
Block E, PO Box 1200, Deira, Dubai, UAE
Tel: (971) 4 2940181
Fax: (971) 4 2948838
e-mail: thluae@emirates.net.ae

Thorn Gulf LLC, Al Shoala Building, Office 301/2,
Block E, PO Box 1200, Deira, Dubai, UAE
Tel: (971) 4 2948938
Fax: (971) 4 2948838
e-mail: thorn@gulfemirates.net.ae

United Kingdom

Thorn Lighting Limited, Silver Screens, Elstree Way,
Borehamwood, Hertfordshire, WD6 1FE, UK
Tel: (44) 20 8732 9800
Fax: (44) 20 8732 9801
E-mail: brochures@thornlight.com
Website: www.thornlighting.co.uk

Thorn Airfield Lighting, Silver Screens, Elstree Way,
Borehamwood, Hertfordshire, WD6 1FE, UK
Tel: (44) 20 8732 9804
Fax: (44) 20 8732 9803
E-mail: airfield@thornlight.com or thornagluk@aol.com
Website: www.thornairfield.com

Export Sales

Thorn Lighting Limited, 156 Boulevard Haussmann,
Cedex 08, Paris 75379, France
Tel: (33) 1 49 53 6262
Fax: (33) 1 49 53 6240

Thorn Lighting Limited, Silver Screens, Elstree Way,
Borehamwood, Hertfordshire, WD6 1FE, UK
Tel: (44) 20 8732 9802
Fax: (44) 20 8732 9803
e-mail: international.sales@thornlight.com

www.thornlighting.com

THORN

Lighting people and places

Thorn Lighting is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request. All measurements are in millimetres and weights in kilograms unless otherwise stated.

Publication No: 354 (INT) Publication Date: 06/05