


## Areaflood Pro 2

### Application versatile floodlight luminaire with best in class optical performance and connectivity solutions

- Full package product family of five luminaire sizes offering between 4,000 - 100,000 lumen outputs
- Integrating THORN's in-house designed and developed optic portfolio. Offering a total of 21 different light distributions covering area, road and sports applications
- Protecting Dark Skies and the nighttime environment, Areaflood Pro is available with THORN's Balanced White technology
- Designed with Dark Sky principals to limit light pollution, with 0 cd at 90° when mounted horizontally. Coupled with an accessory portfolio to further control light spill and light trespass
- Improving sustainability by managing energy consumption, Areaflood Pro is compatible with THORN's UrbaSens connectivity solutions for Outdoor lighting applications
- Maintenance free solution. Product lifetime up to 100,000HR L95



*Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.*



### Material/Finish

Luminaire body manufactured in die-cast aluminium EN AC-44300

Robust solution with excellent corrosion resistance of C5 according to ISO 9223:2012

Finished in light grey (close to RAL9006) with an additional 50 RAL finishes available on request

Toughened Glass

High mechanical resistance of IK08 and IP66

### Installation/Mounting

Versatile adjustable surface mounting bracket to suit application demands

Optional spigot adapter accessory for post top mounting applications

Optional special surface treatment for installation in swimming pool applications

# Areaflood Pro 2

## Specification

To specify state:

Available in Electrical Class I and Class II

Zhaga Up and Zhaga Down sockets available

Integral NEMA and photocell available

DALI dimmable on-board driver variants

Bi-power Line and Light Reduction Twin Phase variants

Built in surge protection, with additional surge protection option available

CCT: 727 / 827 / 730 / 830 / 740 / 840 / 757 / 857

CCT: 957 TLCI 86 / 957 TLCI 90 for performance television broadcasting applications

Balanced white: CCT range 827 - 857

As Thorn Areaflood Pro 2

## Ordering Guide

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
<b>Areaflood Pro 2, Small</b>				
AFP2 S 24L35-740 A4 CL1 GY	LED		6,785	96635899
AFP2 S 24L50-740 A4 CL1 GY	LED		6,785	96635900
AFP2 S 24L70-740 A4 CL1 GY	LED		6,785	96635901
AFP2 S 36L35-740 A4 CL1 GY	LED		6,845	96635902
AFP2 S 36L50-740 A4 CL1 GY	LED		6,82	96635903
AFP2 S 36L70-740 A4 CL1 GY	LED		7,07	96635904
AFP2 S 48L35-740 A4 CL1 GY	LED		7,13	96635905
AFP2 S 48L50-740 A4 CL1 GY	LED		7,38	96635906
AFP2 S 48L70-740 A4 CL1 GY	LED		7,6	96635907
<b>Areaflood Pro 2, Medium</b>				
AFP2 M 60L35-740 A4 CL1 GY	LED		9,79	96635908
AFP2 M 60L50-740 A4 CL1 GY	LED		9,79	96635909
AFP2 M 60L70-740 A4 CL1 GY	LED		9,79	96635910
AFP2 M 72L35-740 A4 CL1 GY	LED		9,85	96635911
AFP2 M 72L50-740 A4 CL1 GY	LED		9,85	96635912
AFP2 M 72L70-740 A4 CL1 GY	LED		9,768	96635913
AFP2 M 96L35-740 A4 CL1 GY	LED		9,888	96635914
AFP2 M 96L50-740 A4 CL1 GY	LED		9,888	96635915
AFP2 M 96L70-740 A4 CL1 GY	LED		10,1	96635916
AFP2 M 96L85-740 A4 CL1 GY	LED		10,57	96635917
<b>Areaflood Pro 2, Large</b>				
AFP2 L 108L35-740 A4 CL1 GY	LED		12,508	96635918
AFP2 L 108L50-740 A4 CL1 GY	LED		12,508	96635919
AFP2 L 108L70-740 A4 CL1 GY	LED		12,978	96635920
AFP2 L 120L35-740 A4 CL1 GY	LED		12,568	96635921
AFP2 L 120L50-740 A4 CL1 GY	LED		12,81	96635922
AFP2 L 120L70-740 A4 CL1 GY	LED		13,28	96635923
AFP2 L 144L35-740 A4 CL1 GY	LED		13,4	96635924
AFP2 L 144L50-740 A4 CL1 GY	LED		13,4	96635925
AFP2 L 144L70-740 A4 CL1 GY	LED		13,476	96635926
AFP2 L 144L80-740 A4 CL1 GY	LED		13,9	96635927
<b>Areaflood Pro 2, Medium double</b>				

## Areaflood Pro 2

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
AFP2 2M 192L70-740 A4 CL1 GY	LED		23,48	96635928
AFP2 2M 192L85-740 A4 CL1 GY	LED		24,45	96635929
AFP2 2M 192L50-740 A4 CL1 GY	LED		23,056	96636356
<b>Areaflood Pro 2, Large double</b>				
AFP2 2L 216L70-740 A4 CL1 GY	LED		28,74	96635930
AFP2 2L 288L70-740 A4 CL1 GY	LED		29,1	96635931
AFP2 2L 288L75-740 A4 CL1 GY	LED		29,222	96635932
AFP2 2L 216L50-740 A4 CL1 GY	LED		28,104	96636357
AFP2 2L 288L50-740 A4 CL1 GY	LED		28,464	96636358
<b>Areaflood Pro 2, accessories</b>				
AFP MTP 76MM R9006			1,6	96274659
AFP MTP 60MM R9006			1,66	96274660
AFP MTP 60MM GY			1,77	96631743
AFP MTP 76MM GY			1,71	96631744
AFP2 BIRD DETERRENT SMALL			1,38	96636416
AFP2 BIRD DETERRENT MEDIUM			1,87	96636417
AFP2 AIMING DEVICE			0,392	96636419
AFP2 BIRD DETERRENT LARGE			2,08	96636422
AFP2 EXTERNAL LOUVERS SMALL			1,238	96636424
AFP2 EXTERNAL LOUVERS MEDIUM			1,348	96636425
AFP2 EXTERNAL LOUVERS LARGE			1,648	96636426